



Aluminium-Rundstangen

Legierung Al Mg Si 1 F 28-32, Legierungen Al Zn Mg Cu 1,5 F 53,
 Legierung Al Cu Mg Pb, gepresst, gezogen, gegossen und abgedreht, warm ausgehärtet, in Herstellungslängen
 DIN 1725/1747/1748/1796-99/59700

Abmessung mm	Gewicht kg/m	Al Mg Si 1 F 28-32 (EM AW-6082)	Al Zn Mg Cu 1,5 F 53 (EN AW-7075)	Al Cu Mg Pb (EN AW-2007 T3/T4)
3,0	0,020			●
3,5	0,026			●
4,0	0,040			●
5,0	0,060	●		●
6,0	0,080	●		●
7,0	0,110			●
8,0	0,140	●	●	●
8,5	0,153			
9,0	0,172			
9,5	0,191			
10,0	0,220	●	●	●
10,5	0,234			
11,0	0,270	●		
12,0	0,320	●	●	●
13,0	0,380	●		
14,0	0,440	●		●
15,0	0,490	●	●	●
15,5	0,509			
16,0	0,570	●		●
17,0	0,613			●
17,5	0,649			●
18,0	0,730	●		●
19,0	0,766			●
20,0	0,830	●	●	●
20,5	0,897			
21,0	0,990			●
22,0	1,030	●	●	●
23,0	1,180			●
24,0	1,290	●		●
25,0	1,370	●	●	●
26,0	1,510			●
27,0	1,630			●
28,0	1,760			●
29,0	1,880			●
30,0	1,970	●	●	●
31,0	2,038			
32,0	2,290			●
33,0	2,309			●
34,0	2,590			●
35,0	2,680	●	●	●

● auf Lager (1-2 bzw. 2-3 Arbeitstage) ● lieferbar (2-3 bzw. 3-4 Arbeitstage)

weitere Abmessungen auf Anfrage

Aluminium-Rundstangen

Legierung Al Mg Si 1 F 28-32, Legierungen Al Zn Mg Cu 1,5 F 53,
 Legierung Al Cu Mg Pb, gepresst, gezogen, gegossen und abgedreht, warm ausgehärtet, in Herstellungslängen
 DIN 1725/1747/1748/1796-99/59700

Abmessung mm	Gewicht kg/m	Al Mg Si 1 F 28-32 (EM AW-6082)	Al Zn Mg Cu 1,5 F 53 (EN AW-7075)	Al Cu Mg Pb (EN AW-2007 T3/T4)
36,0	2,900			●
37,0	2,903			
38,0	3,200			●
39,0	3,224			●
40,0	3,500	●	●	●
41,0	3,564			
42,0	3,950			●
43,0	3,912			
44,0	4,107			
45,0	4,530	●	●	●
46,0	5,101			●
47,0	4,658			
48,0	5,150			●
50,0	5,460	●	●	●
52,0	6,060			●
53,0	5,954			
55,0	6,490	●	●	●
56,0	6,770			●
58,0	7,134			●
60,0	7,860	●	●	●
62,0	8,450			●
63,0	8,400			●
65,0	9,460	●	●	●
66,0	9,237			●
70,0	10,700	●	●	●
75,0	12,600	●	●	●
80,0	13,980	●	●	●
85,0	16,200	●	●	●
90,0	17,700	●	●	●
95,0	20,200		●	●
100,0	21,850	●	●	●
105,0	24,700			●
110,0	27,100	●	●	●
115,0	29,600			●
120,0	31,500	●	●	●
125,0	35,000			●
130,0	37,130	●	●	●
140,0	41,900	●	●	●
150,0	49,100	●	●	●
160,0	55,900	●	●	●

● auf Lager (1-2 bzw. 2-3 Arbeitstage) ● lieferbar (2-3 bzw. 3-4 Arbeitstage)

weitere Abmessungen auf Anfrage

